

Mike Wolf

20 N. 3rd Street
Lafayette, IN 47901



Building Commissioner

PHONE: 765.423.9225
FAX: 765.423.9203

WEBSITE: www.tippecanoe.in.gov

2005 Indiana Residential Code Chapter 11

Documentation Required for Permits:

Prescriptive Path:

- Plans and specifications.
- R-values of insulation components.
- U-values of windows and doors.
- Completed Manual J on HVAC.

UA Trade-off:

- ResCheck or equal software Compliance Certification & supporting documentation.
- Completed Manual J

Performance Path:

- Building File report (13-16 pgs) details all component libraries.
- Inspection Check list (4-8 pgs) simplified check list for municipal inspections.
- Preliminary Cost compliance, Based on Plans.
- Preliminary Certificate, Based on Plans.

Documentation Required for Occupancy:

Prescriptive Path:

- Compliance Certificate in Electrical Panel.
- Documentation of Blower-door testing less than 7ACH at 50 pa or Completed inspection check list signed by builder.
- Documentation showing Duct leakage less than 8CFM per 100sq ft CFA tested, if required.

UA Trade-off:

- Compliance Certificate in Electrical Panel.
- Documentation of Blower-door testing less than 7ACH at 50 pa or Completed inspection check list signed by builder.
- Documentation showing Duct leakage less than 8CFM per 100sq ft CFA tested, if required.

Performance Path:

- Compliance Certificate in Electrical Panel.
- Confirmed 2009 IECC Cost compliance, Testing completed.
- Confirmed 2009 IECC Certificate, Testing completed.
- Note: Blower-door and duct testing results are located on certificates.